

Model No.	Diameter (mm)	Length (mm)	Capacity (m ³)
HSVPS600/	600	500	0.13
HSVPS600/	600	1000	0.26
HSVPS600/	600	1500	0.4
HSVPS600/	600	2000	0.53
HSVPS600/	600	2500	0.67

Model No.	Diameter (mm)	Length (mm)	Capacity (m ³)
HSVPS900/0.6	900	1000	0.6
HSVPS900/0.9	900	1500	0.9
HSVPS900/1.2	900	2000	1.2
HSVPS900/1.5	900	2500	1.51
HSVPS900/1.8	900	3000	1.81
HSVPS900/2.1	900	3500	2.11
HSVPS900/2.4	900	4000	2.41
HSVPS900/2.7	900	4500	2.71
HSVPS900/3	900	5000	3.02

Model No.	Diameter (mm)	Length (mm)	Capacity (m ³)
HSVPS100/0.7	1000	1000	0.74
HSVPS100/1.1	1000	1500	1.11
HSVPS100/1.4	1000	2000	1.49
HSVPS100/1.8	1000	2500	1.86
HSVPS100/2.2	1000	3000	2.23
HSVPS100/2.6	1000	3500	2.61
HSVPS100/2.9	1000	4000	2.98
HSVPS100/3.3	1000	4500	3.35
HSVPS100/3.7	1000	5000	3.73



Model No.	Diameter (mm)	Length (mm)	Capacity (m ³)
HSVPS120/1	1200	1000	1.07
HSVPS120/1.6	1200	1500	1.61
HSVPS120/2	1200	2000	2.14
HSVPS120/2.6	1200	2500	2.68
HSVPS120/3	1200	3000	3.22
HSVPS120/3.7	1200	3500	3.76
HSVPS120/4	1200	4000	4.29
HSVPS120/4.8	1200	4500	4.83
HSVPS120/5	1200	5000	5.37
HSVPS120/5.9	1200	5500	5.9
HSVPS120/6	1200	6000	6.44
HSVPS120/6.9	1200	6500	6.98
HSVPS120/7	1200	7000	7.52
HSVPS120/8	1200	7500	8.05
HSVPS120/8.5	1200	8000	8.59
HSVPS120/9	1200	8500	9.13
HSVPS120/9.6	1200	9000	9.67
HSVPS120/10	1200	9500	10.2
HSVPS120/10.7	1200	10000	10.74
HSVPS120/11	1200	10500	11.28
HSVPS120/11.8	1200	11000	11.81
HSVPS120/12	1200	11500	12.35
HSVPS120/12.8	1200	12000	12.89
HSVPS120/13	1200	12500	13.43
HSVPS120/13.9	1200	13000	13.96
HSVPS120/14	1200	13500	14.5
HSVPS120/15	1200	14000	15.04
HSVPS120/15.5	1200	14500	15.57
HSVPS120/16	1200	15000	16.11



Model No.	Diameter (mm)	Length (mm)	Capacity (m ³)
HSVPS150/1	1500	1000	1.67
HSVPS150/2	1500	1500	2.51
HSVPS150/3	1500	2000	3.35
HSVPS150/4	1500	2500	4.19
HSVPS150/5	1500	3000	5.03
HSVPS150/5.8	1500	3500	5.87
HSVPS150/6	1500	4000	6.71
HSVPS150/7	1500	4500	7.55
HSVPS150/8	1500	5000	8.39
HSVPS150/9	1500	5500	9.23
HSVPS150/10	1500	6000	10.07
HSVPS150/10.9	1500	6500	10.91
HSVPS150/11	1500	7000	11.75
HSVPS150/12	1500	7500	12.59
HSVPS150/13	1500	8000	13.43
HSVPS150/14	1500	8500	14.26
HSVPS150/15	1500	9000	15.1
HSVPS150/15.9	1500	9500	15.94
HSVPS150/16	1500	10000	16.78
HSVPS150/17	1500	10500	17.62
HSVPS150/18	1500	11000	18.46
HSVPS150/19	1500	11500	19.3
HSVPS150/20	1500	12000	20.14
HSVPS150/20.9	1500	12500	20.98
HSVPS150/21	1500	13000	21.82
HSVPS150/22	1500	13500	22.66
HSVPS150/23	1500	14000	23.5
HSVPS150/24	1500	14500	24.34
HSVPS150/25	1500	15000	25.18



Model No.	Diameter (mm)	Length (mm)	Capacity (m ³)
HSVPS185/3	1850	1500	3.83
HSVPS185/5	1850	2000	5.1
HSVPS185/6	1850	2500	6.38
HSVPS185/7	1850	3000	7.66
HSVPS185/8	1850	3500	8.93
HSVPS185/10	1850	4000	10.21
HSVPS185/11	1850	4500	11.49
HSVPS185/12	1850	5000	12.76
HSVPS185/14	1850	5500	14.04
HSVPS185/15	1850	6000	15.32
HSVPS185/16	1850	6500	16.59
HSVPS185/17	1850	7000	17.87
HSVPS185/19	1850	7500	19.15
HSVPS185/20	1850	8000	20.42
HSVPS185/21	1850	8500	21.7
HSVPS185/22	1850	9000	22.98
HSVPS185/24	1850	9500	24.25
HSVPS185/25	1850	10000	25.53
HSVPS185/26	1850	10500	26.81
HSVPS185/28	1850	11000	28.08
HSVPS185/29	1850	11500	29.36
HSVPS185/30	1850	12000	30.64
HSVPS185/31	1850	12500	31.92
HSVPS185/33	1850	13000	33.19
HSVPS185/34	1850	13500	34.47
HSVPS185/35	1850	14000	35.75
HSVPS185/37	1850	14500	37.02
HSVPS185/38	1850	15000	38.3
HSVPS185/39	1850	15500	39.58
HSVPS185/40	1850	16000	40.85
HSVPS185/42	1850	16500	42.13
HSVPS185/43	1850	17000	43.41
HSVPS185/44	1850	17500	44.68
HSVPS185/45	1850	18000	45.96
HSVPS185/47	1850	18500	47.24
HSVPS185/48	1850	19000	48.51
HSVPS185/49	1850	19500	49.79
HSVPS185/51	1850	20000	51.07



Model No.	Diameter (mm)	Length (mm)	Capacity (m ³)
HSVPS200/4	2000	1500	4.47
HSVPS200/5	2000	2000	5.96
HSVPS200/7	2000	2500	7.46
HSVPS200/8	2000	3000	8.95
HSVPS200/10	2000	3500	10.44
HSVPS200/11	2000	4000	11.93
HSVPS200/13	2000	4500	13.43
HSVPS200/14	2000	5000	14.92
HSVPS200/16	2000	5500	16.41
HSVPS200/17	2000	6000	17.9
HSVPS200/19	2000	6500	19.39
HSVPS200/20	2000	7000	20.89
HSVPS200/22	2000	7500	22.38
HSVPS200/23	2000	8000	23.87
HSVPS200/25	2000	8500	25.36
HSVPS200/26	2000	9000	26.86
HSVPS200/28	2000	9500	28.35
HSVPS200/29	2000	10000	29.84
HSVPS200/31	2000	10500	31.33
HSVPS200/32	2000	11000	32.83
HSVPS200/34	2000	11500	34.32
HSVPS200/35	2000	12000	35.81
HSVPS200/37	2000	12500	37.3
HSVPS200/38	2000	13000	38.79
HSVPS200/40	2000	13500	40.29
HSVPS200/41	2000	14000	41.78
HSVPS200/43	2000	14500	43.27
HSVPS200/44	2000	15000	44.76
HSVPS200/46	2000	15500	46.26
HSVPS200/47	2000	16000	47.75
HSVPS200/49	2000	16500	49.24
HSVPS200/50	2000	17000	50.73
HSVPS200/52	2000	17500	52.22
HSVPS200/53	2000	18000	53.72
HSVPS200/55	2000	18500	55.21
HSVPS200/56	2000	19000	56.7
HSVPS200/58	2000	19500	58.19
HSVPS200/59	2000	20000	59.69



Model No.	Diameter (mm)	Length (mm)	Capacity (m ³)
HSVPS250/6	2500	1500	6.99
HSVPS250/9	2500	2000	9.32
HSVPS250/11	2500	2500	11.65
HSVPS250/13	2500	3000	13.98
HSVPS250/16	2500	3500	16.32
HSVPS250/18	2500	4000	18.65
HSVPS250/20	2500	4500	20.98
HSVPS250/23	2500	5000	23.13
HSVPS250/25	2500	5500	25.64
HSVPS250/27	2500	6000	27.97
HSVPS250/30	2500	6500	30.31
HSVPS250/32	2500	7000	32.64
HSVPS250/34	2500	7500	34.97
HSVPS250/37	2500	8000	37.3
HSVPS250/39	2500	8500	39.63
HSVPS250/41	2500	9000	41.97
HSVPS250/44	2500	9500	44.3
HSVPS250/46	2500	10000	46.63
HSVPS250/48	2500	10500	48.96
HSVPS250/51	2500	11000	51.29
HSVPS250/53	2500	11500	53.62
HSVPS250/55	2500	12000	55.95
HSVPS250/58	2500	12500	58.29
HSVPS250/60	2500	13000	60.62
HSVPS250/62	2500	13500	62.95
HSVPS250/65	2500	14000	65.33
HSVPS250/67	2500	14500	67.61
HSVPS250/69	2500	15000	69.94
HSVPS250/72	2500	15500	72.28
HSVPS250/74	2500	16000	74.61
HSVPS250/76	2500	16500	76.94
HSVPS250/79	2500	17000	79.27
HSVPS250/81	2500	17500	81.6
HSVPS250/83	2500	18000	83.93
HSVPS250/86	2500	18500	86.27
HSVPS250/88	2500	19000	88.6
HSVPS250/90	2500	19500	90.93
HSVPS250/93	2500	20000	93.26



Model No.	Diameter (mm)	Length (mm)	Capacity (m ³)
HSVPS300/16	3000	2500	16.78
HSVPS300/20	3000	3000	20.14
HSVPS300/23	3000	3500	23.5
HSVPS300/26	3000	4000	26.86
HSVPS300/30	3000	4500	30.21
HSVPS300/33	3000	5000	33.57
HSVPS300/36	3000	5500	36.93
HSVPS300/40	3000	6000	40.29
HSVPS300/43	3000	6500	43.64
HSVPS300/47	3000	7000	47
HSVPS300/50	3000	7500	50.36
HSVPS300/53	3000	8000	53.72
HSVPS300/57	3000	8500	57.07
HSVPS300/60	3000	9000	60.43
HSVPS300/63	3000	9500	63.79
HSVPS300/67	3000	10000	67.15
HSVPS300/70	3000	10500	70.5
HSVPS300/73	3000	11000	73.86
HSVPS300/77	3000	11500	77.22
HSVPS300/80	3000	12000	80.58
HSVPS300/83	3000	12500	83.93
HSVPS300/87	3000	13000	87.29
HSVPS300/90	3000	13500	90.65
HSVPS300/94	3000	14000	94.01
HSVPS300/97	3000	14500	97.36
HSVPS300/100	3000	15000	100.72
HSVPS300/104	3000	15500	104.08
HSVPS300/107	3000	16000	107.44
HSVPS300/110	3000	16500	110.8
HSVPS300/114	3000	17000	114.15
HSVPS300/117	3000	17500	117.51
HSVPS300/120	3000	18000	120.87
HSVPS300/124	3000	18500	124.23
HSVPS300/127	3000	19000	127.58
HSVPS300/130	3000	19500	130.94
HSVPS300/134	3000	20000	134.3



Model No.	Diameter (mm)	Length (mm)	Capacity (m ³)
HVPS320/19	3200	2500	19.1
HVPS320/22	3200	3000	22.92
HVPS320/26	3200	3500	26.74
HVPS320/30	3200	4000	30.56
HVPS320/34	3200	4500	34.38
HVPS320/38	3200	5000	38.2
HVPS320/42	3200	5500	42.02
HVPS320/45	3200	6000	45.84
HVPS320/49	3200	6500	49.66
HVPS320/53	3200	7000	53.48
HVPS320/57	3200	7500	57.3
HVPS320/61	3200	8000	61.12
HVPS320/64	3200	8500	64.94
HVPS320/68	3200	9000	68.76
HVPS320/72	3200	9500	72.58
HVPS320/76	3200	10000	76.4
HVPS320/80	3200	10500	80.22
HVPS320/84	3200	11000	84.04
HVPS320/87	3200	11500	87.86
HVPS320/91	3200	12000	91.68
HVPS320/95	3200	12500	95.5
HVPS320/99	3200	13000	99.32
HVPS320/103	3200	13500	103.14
HVPS320/106	3200	14000	106.96
HVPS320/110	3200	14500	110.78
HVPS320/114	3200	15000	114.6
HVPS320/118	3200	15500	118.42
HVPS320/122	3200	16000	122.24
HVPS320/126	3200	16500	126.06
HVPS320/129	3200	17000	129.88
HVPS320/133	3200	17500	133.7
HVPS320/137	3200	18000	137.52
HVPS320/141	3200	18500	141.34
HVPS320/145	3200	19000	145.16
HVPS320/148	3200	19500	148.98
HVPS320/152	3200	20000	152.8



Model No.	Diameter (mm)	Length (mm)	Capacity (m ³)
HSVPS350/27	3500	3000	27.41
HSVPS350/31	3500	3500	31.99
HSVPS350/36	3500	4000	36.56
HSVPS350/41	3500	4500	41.13
HSVPS350/45	3500	5000	45.7
HSVPS350/50	3500	5500	50.27
HSVPS350/54	3500	6000	54.84
HSVPS350/59	3500	6500	59.14
HSVPS350/63	3500	7000	63.98
HSVPS350/68	3500	7500	68.55
HSVPS350/73	3500	8000	73.12
HSVPS350/77	3500	8500	77.69
HSVPS350/82	3500	9000	82.26
HSVPS350/86	3500	9500	86.83
HSVPS350/91	3500	10000	91.4
HSVPS350/95	3500	10500	95.97
HSVPS350/100	3500	11000	100.54
HSVPS350/105	3500	11500	105.11
HSVPS350/109	3500	12000	109.68
HSVPS350/114	3500	12500	114.25
HSVPS350/118	3500	13000	118.82
HSVPS350/123	3500	13500	123.39
HSVPS350/127	3500	14000	127.96
HSVPS350/132	3500	14500	132.53
HSVPS350/137	3500	15000	137.10
HSVPS350/141	3500	15500	141.67
HSVPS350/146	3500	16000	146.24
HSVPS350/150	3500	16500	150.81
HSVPS350/155	3500	17000	155.38
HSVPS350/159	3500	17500	159.95
HSVPS350/164	3500	18000	164.52
HSVPS350/169	3500	18500	169.09
HSVPS350/173	3500	19000	173.66
HSVPS350/178	3500	19500	178.23
HSVPS350/182	3500	20000	182.8



CSG Composites Sizing Chart

Model No.	Diameter (mm)	Length (mm)	Capacity (m ³)
HSVPS400/35	4000	3000	35.81
HSVPS400/41	4000	3500	41.78
HSVPS400/47	4000	4000	47.75
HSVPS400/53	4000	4500	53.72
HSVPS400/59	4000	5000	59.69
HSVPS400/65	4000	5500	65.65
HSVPS400/71	4000	6000	71.62
HSVPS400/77	4000	6500	77.59
HSVPS400/83	4000	7000	83.56
HSVPS400/89	4000	7500	89.53
HSVPS400/95	4000	8000	95.5
HSVPS400/101	4000	8500	101.47
HSVPS400/107	4000	9000	107.44
HSVPS400/113	4000	9500	113.41
HSVPS400/119	4000	10000	119.38
HSVPS400/125	4000	10500	125.34
HSVPS400/131	4000	11000	131.31
HSVPS400/137	4000	11500	137.28
HSVPS400/143	4000	12000	143.25
HSVPS400/149	4000	12500	149.22
HSVPS400/155	4000	13000	155.19
HSVPS400/161	4000	13500	161.16
HSVPS400/167	4000	14000	167.13
HSVPS400/173	4000	14500	173.1
HSVPS400/179	4000	15000	179.07
HSVPS400/185	4000	15500	185.04
HSVPS400/191	4000	16000	191
HSVPS400/19	4000	16500	196.97
HSVPS400/202	4000	17000	202.94
HSVPS400/208	4000	17500	208.91
HSVPS400/214	4000	18000	214.88
HSVPS400/220	4000	18500	220.85
HSVPS400/226	4000	19000	226.82
HSVPS400/232	4000	19500	232.79
HSVPS400/238	4000	20000	238.76



CSG Composites Sizing Chart

Model No.	Diameter (mm)	Length (mm)	Capacity (m ³)
HSVPS450/45	4500	3000	45.32
HSVPS450/52	4500	3500	52.88
HSVPS450/60	4500	4000	60.43
HSVPS450/67	4500	4500	67.99
HSVPS450/75	4500	5000	75.54
HSVPS450/83	4500	5500	83.1
HSVPS450/90	4500	6000	90.65
HSVPS450/98	4500	6500	98.2
HSVPS450/105	4500	7000	105.76
HSVPS450/113	4500	7500	113.31
HSVPS450/120	4500	8000	120.87
HSVPS450/128	4500	8500	128.42
HSVPS450/135	4500	9000	135.98
HSVPS450/143	4500	9500	143.53
HSVPS450/151	4500	10000	151.09
HSVPS450/158	4500	10500	158.64
HSVPS450/166	4500	11000	166.19
HSVPS450/173	4500	11500	173.75
HSVPS450/181	4500	12000	181.3
HSVPS450/188	4500	12500	188.86
HSVPS450/196	4500	13000	196.41
HSVPS450/203	4500	13500	203.97
HSVPS450/211	4500	14000	211.52
HSVPS450/219	4500	14500	219.08
HSVPS450/226	4500	15000	226.63
HSVPS450/234	4500	15500	234.19
HSVPS450/241	4500	16000	241.73
HSVPS450/249	4500	16500	249.29
HSVPS450/256	4500	17000	256.85
HSVPS450/264	4500	17500	264.4
HSVPS450/271	4500	18000	271.96
HSVPS450/279	4500	18500	279.51
HSVPS450/287	4500	19000	287.07
HSVPS450/294	4500	19500	294.62
HSVPS450/302	4500	20000	302.18



CSG Composites Sizing Chart

Model No.	Diameter (mm)	Length (mm)	Capacity (m ³)
HSVPS500/55	5000	3000	55.95
HSVPS500/65	5000	3500	65.28
HSVPS500/74	5000	4000	74.61
HSVPS500/83	5000	4500	83.93
HSVPS500/93	5000	5000	93.26
HSVPS500/102	5000	5500	102.59
HSVPS500/111	5000	6000	111.91
HSVPS500/121	5000	6500	121.24
HSVPS500/130	5000	7000	130.57
HSVPS500/139	5000	7500	139.89
HSVPS500/149	5000	8000	149.22
HSVPS500/158	5000	8500	158.55
HSVPS500/167	5000	9000	167.87
HSVPS500/177	5000	9500	177.2
HSVPS500/186	5000	10000	186.53
HSVPS500/195	5000	10500	195.85
HSVPS500/205	5000	11000	205.18
HSVPS500/214	5000	11500	214.51
HSVPS500/223	5000	12000	223.83
HSVPS500/233	5000	12500	233.16
HSVPS500/242	5000	13000	242.49
HSVPS500/251	5000	13500	251.81
HSVPS500/261	5000	14000	261.14
HSVPS500/270	5000	14500	270.47
HSVPS500/279	5000	15000	279.79
HSVPS500/289	5000	15500	289.12
HSVPS500/298	5000	16000	298.45
HSVPS500/307	5000	16500	307.77
HSVPS500/317	5000	17000	317.1
HSVPS500/326	5000	17500	326.43
HSVPS500/335	5000	18000	335.75
HSVPS500/345	5000	18500	345.08
HSVPS500/354	5000	19000	354.41
HSVPS500/363	5000	19500	363.73
HSVPS500/373	5000	20000	373.06