

HydroSave Fast Track Stock

Our Expertise

We design and manufacture the world's best tanks, collaborating with clients to deliver customised solutions.

Our Mission

We strive to deliver pioneering solutions and the safest tanks in the world. We're achieving this objective by sharing expert knowledge with our customers, and by providing better access to specialist consultants, products and services. And by putting safety first.

Research & Development

Access better thinking. Our R&D department created world-class tanks made from fibre-glass reinforced plastic (FRP) a material that provides clear benefits compared to traditional materials.

People

Access better people. Our relationships are as strong as our tanks. They're built on shared knowledge, deep consultation, exceptional service and aftercare that extends beyond installation.

Owned Manufacturing


Access better quality. Our design and manufacturing procedures are carefully controlled, and inspections are performed at every stage.

Safety & Compliance

Access better safety. Safety is at the heart of all our designs. We comply with the strictest regulations, including those mandated by the Environmental Protection Agency.

Knowledge

Access better smarts. With three generations of knowledge, 50+ years of experience and over 175 million litres of chemicals and liquids stored, no one knows tanks better than us.



Access Better Knowledge



SMARTER STORAGE - READY TO GO

HydroSave



Looking for water storage that's reliable, efficient, and readily available?

HydroSave has you covered. This brochure showcases our versatile range of rainwater tanks and modular storage solutions, designed to make your projects easier, faster, and more dependable. With most products in stock and available within **1 - 2 weeks**, HydroSave ensures you never have to compromise on quality or timing.

Dive in and discover the solutions that will keep your operations thriving.

Underground Rainwater Tanks

“ Our rainwater harvesting tanks capture rainwater from buildings, reusing it as part of commercial operations.

Rainwater is collected from roof areas or hard standings and diverted into the underground tank through a filter chamber separating leaves and debris. The non-toxic material ensures that the stored rainwater remains safe for use in various applications, including irrigation and cooling systems

Water runoff on rural properties can be collected for livestock, crop spraying, irrigation and domestic use. Our rainwater harvesting tanks are bacteria-resistant and meet the highest Australian standards. ”

3,000L

HSH-II120/03
1200mm Dia x 3500mm Long

- 1 off 600mm Dia Manhole & Riser (up to 1000mm high)
- 2 off Inlet/Outlet PVC Connections
- 1 off Vent PVC
- 1 off Class B Gatic Lid

\$2,850.00
(Excluding GST)

5,000L

HSH-II150/05
1500mm Dia x 3500mm Long

- 1 off 600mm Dia Manhole & Riser (up to 1000mm high)
- 2 off Inlet/Outlet PVC Connections
- 1 off Vent PVC
- 1 off Class B Gatic Lid

\$5,550.00
(Excluding GST)

7,500L

HSH-II150/7.5
1500mm Dia x 4500mm Long

- 1 off 600mm Dia Manhole & Riser (up to 1000mm high)
- 2 off Inlet/Outlet PVC Connections
- 1 off Vent PVC
- 1 off Class B Gatic Lid

\$7,850.00
(Excluding GST)

10,000L

HSH-II185/10

1850mm Dia x 4250mm Long

- 1 off 600mm Dia Manhole & Riser (up to 1000mm high)
- 2 off Inlet/Outlet PVC Connections
- 1 off Vent PVC
- 1 off Class B Gatic Lid

\$10,250.00

(Excluding GST)

15,000L

HSH-II220/15

2200mm Dia x 4250mm Long

- 1 off 600mm Dia Manhole & Riser (up to 1000mm high)
- 2 off Inlet/Outlet PVC Connections
- 1 off Vent PVC
- 1 off Class B Gatic Lid

\$12,990.00

(Excluding GST)

20,000L

HSH-II250/20

2500mm Dia x 4500mm Long

- 1 off 600mm Dia Manhole & Riser (up to 1000mm high)
- 2 off Inlet/Outlet PVC Connections
- 1 off Vent PVC
- 1 off Class B Gatic Lid

\$17,150.00

(Excluding GST)

25,500L

HSH-II250/25

2500mm Dia x 5500mm Long

- 1 off 600mm Dia Manhole & Riser (up to 1000mm high)
- 2 off Inlet/Outlet PVC Connections
- 1 off Vent PVC
- 1 off Class B Gatic Lid

\$22,250.00

(Excluding GST)

*Please note: Delivery is charged on a job by job basis depending on location

Underground Pumpstations

“ Our underground pumping stations and pits play an essential role in managing waste.

They transfer sewerage from residential, commercial and industrial sources to sewerage treatment plants. Our systems are lightweight, quickly installed and can be supplied in any configuration or capacity, with standard diameter’s ranging between 600mm right up to 5000mm.

FRP is an ideal material to use for pumping stations as its resistance to corrosion ensures long-term durability in harsh sewer environments and no leaks.

By efficiently managing wastewater, our FRP pump stations help prevent sewerage overflows and environmental contamination, protect local ecosystems and the community.

”

1,000L

HSVP-II100/01
1000mm Dia x 1450mm Deep

- 1 off 900mm x 600mm Flanged Opening
- 2 off Inlet/Outlet PVC Connections
- 1 off Class B Gatic Lid
- Lifting Lugs

\$2,750.00
(Excluding GST)

1,500L

HSVP-II120/1.5
1200mm Dia x 1500mm Deep

- 1 off 900mm x 600mm Flanged Opening
- 2 off Inlet/Outlet PVC Connections
- 1 off Class B Gatic Lid
- Lifting Lugs

\$3,350.00
(Excluding GST)

2,000L

HSVP-II150/02
1500mm Dia x 1500mm Deep

- 1 off 900mm x 600mm Flanged Opening
- 2 off Inlet/Outlet PVC Connections
- 1 off Class B Gatic Lid
- Lifting Lugs

\$4,250.00
(Excluding GST)

3,000L

HSVP-II150/03
1500mm Dia x 1850mm Deep

- 1 off 900mm x 600mm Flanged Opening
- 2 off Inlet/Outlet PVC Connections
- 1 off Class B Gatic Lid
- Lifting Lugs

\$5,150.00
(Excluding GST)

5,000L

HSH-II120/03
1200mm Dia x 3500mm Long

- 1 off 900mm x 600mm Flanged Opening
- 2 off Inlet/Outlet PVC Connections
- 1 off Class B Gatic Lid
- Lifting Lugs

\$7,850.00
(Excluding GST)

7,500L
8.36

HSH-II150/05
1500mm Dia x 3500mm Long

- 1 off 900mm x 600mm Flanged Opening
- 2 off Inlet/Outlet PVC Connections
- 1 off Class B Gatic Lid
- Lifting Lugs

\$9,650.00
(Excluding GST)

10,000L
10.8

HSVP-II220/10
2200mm Dia x 2850mm Deep

- 1 off 900mm x 600mm Flanged Opening
- 2 off Inlet/Outlet PVC Connections
- 1 off Class B Gatic Lid
- Lifting Lugs

\$12,250.00
(Excluding GST)

15,000L
15.9

HSVP-II250/15
2500mm Dia x 3250mm Deep

- 1 off 900mm x 600mm Flanged Opening
- 2 off Inlet/Outlet PVC Connections
- 1 off Class B Gatic Lid
- Lifting Lugs


\$14,850.00
(Excluding GST)

*Please note: Delivery is charged on a job by job basis depending on location



Head Office

19–21 Clarke Street, Parkes, NSW
2870, Australia



Contact Us

Telephone: 1300 139 971
sales@csgcomposites.com.au
csgcomposites.com.au

